

**Title: Leadless Pacemaker Regional Implant Criteria**

Document Owner: Chris Stefaniak	PI Team: N/A	Date Created: 10/1/2019
Approver(s): Chris Stefaniak, Karyn Delgado	Date Approved with no changes: 12/18/2019	Date Approved: 12/18/2019
Location: Saint Joseph Regional Medical Center (SJPMC); Mishawaka		Department: Medical Staff Services (14001_80012)

**Printed copies are for reference only. Please refer to the electronic copy for the latest version.**

A cardiac pacing device that does not require wires or leads between the generator and the pacing device. The device is implanted directly into the heart via a Transcatheter approach.

**POLICY:**

1. Education: MD, DO
2. Training:
  - a. Physician must have current permanent pacemaker implantation privileges, and
3. Experience
  - a. Five (5) Implantations of leadless pacemaker during Fellowship or during manufacturer training.
4. Proctoring:
  - a. The first 2 cases will be proctored by a trained clinician from the manufacturer
5. Current Competence:
  - a. Physician must perform at least 5 leadless pacemakers at reappointment. If physician has not performed 5 leadless pacemakers at reappointment, they are to be concurrently proctored for 1 procedure.

**References/Standards:**

- Policy Origin Date: October 2019
- Review Date: December 2019
- Revised Date:
- Effective Date: December 219
- Reviewed/Recommended By: Medical Executive Committee